


"SPEED BUMP" INSTALLATION DETAIL

NOT TO SCALE PERMANENT MEASURE (AS DENOTED ON PLANS)

DETAIL IS IN ACCORDANCE WITH PROVISIONS OF TOWN CODE SEC. 36-4, 34-5 & 34-6
 THIS DETAIL IS INTENDED TO PROVIDE MIN. DIMENSIONS FOR THE INSTALLATION OF A "SPEED BUMP" TO MEET THE CODE REQUIREMENTS AS NOTED ABOVE

PERMANENT DRAINAGE MEASURES NOTES:


SHALL BE REQUIRED FOR DRIVEWAY APPLICATIONS SLOPED TOWARDS OR ARE ELEVATED ABOVE THE NEAREST EDGE OF STREET PAVEMENT. THIS REQUIREMENT SHALL NOT BE APPLIED FOR LEVEL DRIVEWAYS OR DRIVEWAYS SLOPED AWAY FROM OR ARE BELOW THE EDGE OF STREET PAVEMENT ELEVATION. ALTERNATIVE MEASURES THAT DEVIATE FROM THE PERMANENT DETAILS NOTED ABOVE SHALL BE CONSIDERED ON A CASE BY CASE BASIS.



SLOTTED DRAIN INSTALLATION DETAIL

NOT TO SCALE PERMANENT MEASURE (AS DENOTED ON PLANS)


DETAIL IS IN ACCORDANCE WITH PROVISIONS OF TOWN CODE SEC. 36-4, 34-5 & 34-6



TEMPORARY DRAINAGE MEASURES DETAIL

NOT TO SCALE

TEMPORARY BERM CONSTRUCTION SHALL OCCUR IN CONJUNCTION WITH BUILDING PAD FILL PLACEMENT AN ALTERNATE TO THIS INSTALLATION IS TO CONSTRUCT PERMANENT STORMWATER MEASURES IN CONJUNCTION WITH BUILDING PAD FILL PLACEMENT



TOWN OF NAGS HEAD
 DEPARTMENT OF ADMINISTRATION
 P.O. BOX 99
 NAGS HEAD, NC 27959
 252.441.7016 • www.nagsheadnc.gov

TYPICAL PERMANENT AND TEMPORARY STORMWATER CONTROL MEASURE DETAILS

SCALE: NONE
 ISSUE DATE: 12-12-2017
 REVISION DATE: 1-3-2019
 SHEET NO: 1 OF 1
 DRAWN BY: DMR

DETAIL NO.:
403
 29